

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date:
16/06/2016

Date of issue:
12/12/2014

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product Name : CV7-1142-1
Synonyms : Non-Corrosive Controlled Volatility RTV Silicone Adhesive/Sealant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial.
Use of the substance/mixture : As a sealing, caulking, adhesive or potting material in electronics and space applications. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780
ehs@nusil.com
www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and
number : Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319
Skin Sens. 1 H317
STOT RE 2 H373
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning
Hazardous ingredients : N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine; 2-Butanone, O,O',O''-(methylsilylidyne)trioxime; Dibutyltin dilaurate
Hazard statements (CLP) : H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H373 - May cause damage to organs through prolonged or repeated exposure

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) :

- H411 - Toxic to aquatic life with long lasting effects
- P260 - Do not breathe vapors, mist, spray
- P264 - Wash hands, forearms, and other exposed areas thoroughly after handling
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P273 - Avoid release to the environment
- P280 - Wear protective gloves, protective clothing, eye protection, face protection, respiratory protection
- P302+P352 - IF ON SKIN: Wash with plenty of water
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P314 - Get medical advice/attention if you feel unwell
- P321 - Specific treatment (see section 4 on this SDS)
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
- P337+P313 - If eye irritation persists: Get medical advice/attention
- P362+P364 - Take off contaminated clothing and wash it before reuse
- P391 - Collect spillage
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations

2.3. Other Hazards

Other hazards not contributing to the classification : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime	(CAS No) 22984-54-9 (EC no) 245-366-4	10 - 15	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
Zinc oxide	(CAS No) 1314-13-2 (EC no) 215-222-5 (EC index no) 030-013-00-7	< 2,75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	(CAS No) 1760-24-3 (EC no) 217-164-6	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS No) 77-58-7 (EC no) 201-039-8	< 0,2	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
- First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Seek medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause skin irritation. May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.
- Chronic symptoms : May cause damage to organs through prolonged or repeated exposure. May damage fertility. May damage the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but may burn at high temperatures.
- Explosion hazard : Product is not explosive.
- Reactivity : Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : Fire may produce irritating and/or toxic gases.

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use only outdoors or in a well-ventilated area. Avoid all eyes and skin contact and do not breathe vapour and mist. Do not allow product to spread into the environment. Handle in accordance with good industrial hygiene and safety practice.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Contact competent authorities after a spill.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : When heated to decomposition, emits toxic fumes.
Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid breathing vapours, mist, spray. Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety procedures.
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep/Store away from extremely high or low temperatures, ignition sources, direct sunlight, and incompatible materials. Keep container closed when not in use. Store in a well-ventilated place. Keep container tightly closed.
Incompatible products : Strong acids. Strong bases. Strong oxidizers.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Zinc oxide (1314-13-2)		
Austria	MAK (mg/m ³)	5 mg/m ³ (respirable fraction, smoke)
Belgium	Limit value (mg/m ³)	10 mg/m ³ (dust) 5 mg/m ³ (fume) 5 mg/m ³ (aerosol and vapor)
Belgium	Short time value (mg/m ³)	10 mg/m ³ (fume) 10 mg/m ³ (aerosol and vapor)
Bulgaria	OEL TWA (mg/m ³)	5,0 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	10,0 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	5 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	10 mg/m ³
France	VME (mg/m ³)	5 mg/m ³ (fume) 10 mg/m ³ (dust)
Greece	OEL TWA (mg/m ³)	5 mg/m ³ (fume)
Greece	OEL STEL (mg/m ³)	10 mg/m ³ (fume)
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (respirable fraction)
USA ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ (respirable fraction)
Latvia	OEL TWA (mg/m ³)	0,5 mg/m ³
Spain	VLA-ED (mg/m ³)	2 mg/m ³ (respirable fraction)
Spain	VLA-EC (mg/m ³)	10 mg/m ³
Switzerland	VLE (mg/m ³)	3 mg/m ³ (respirable dust, smoke)
Switzerland	VME (mg/m ³)	3 mg/m ³ (respirable dust, smoke)
Czech Republic	Expoziční limity (PEL) (mg/m ³)	2 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	4 mg/m ³ 4 mg/m ³ (fume)
Estonia	OEL TWA (mg/m ³)	5 mg/m ³
Finland	HTP-arvo (8h) (mg/m ³)	2 mg/m ³ (fume)
Finland	HTP-arvo (15 min)	10 mg/m ³ (fume)
Hungary	AK-érték	5 mg/m ³ (respirable dust)
Hungary	CK-érték	20 mg/m ³ (respirable dust)
Ireland	OEL (8 hours ref) (mg/m ³)	2 mg/m ³ (fume)
Ireland	OEL (15 min ref) (mg/m ³)	10 mg/m ³ (fume)
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Norway	Grænseværdier (AN) (mg/m ³)	5 mg/m ³
Norway	Grænseværdier (Korttidsverdi) (mg/m ³)	10 mg/m ³
Poland	NDS (mg/m ³)	5 mg/m ³ (inhalable fraction)
Poland	NDSch (mg/m ³)	10 mg/m ³ (inhalable fraction)
Romania	OEL TWA (mg/m ³)	5 mg/m ³ (fume)
Romania	OEL STEL (mg/m ³)	10 mg/m ³ (fume)
Slovakia	NPHV (priemerná) (mg/m ³)	1 mg/m ³ (fume)
Slovakia	NPHV (Hraničná) (mg/m ³)	1 mg/m ³
Slovenia	OEL TWA (mg/m ³)	5 mg/m ³ (respirable fraction, fume)
Slovenia	OEL STEL (mg/m ³)	20 mg/m ³ (respirable fraction, fume)
Sweden	nivågränsvärde (NVG) (mg/m ³)	5 mg/m ³ (total dust)
Portugal	OEL TWA (mg/m ³)	2 mg/m ³ (respirable fraction)
Portugal	OEL STEL (mg/m ³)	10 mg/m ³ (respirable fraction)

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls : Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Protective clothing. Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing : Chemically resistant materials and fabrics.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use an approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Thermal hazard protection : Wear suitable protective clothing.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White
Odour	: Characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F (> 93,33 °C)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: 1,1 (Water = 1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Sources of ignition. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). May release flammable gases. Nitrogen oxides. Silicon oxides. Zinc oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)	
LD50 oral rat	2295 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1,49 mg/l/4h
2-Butanone, O,O',O''-(methylsilylidyne)trioxime (22984-54-9)	
LD50 oral rat	2463 mg/kg
LD50 dermal rat	> 2000 mg/kg
Dibutyltin dilaurate (77-58-7)	
LD50 oral rat	175 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	630 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	0,075 mg/l/4h
Zinc oxide (1314-13-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.
Causes serious eye irritation

Respiratory or skin sensitisation : May cause an allergic skin reaction.
May cause an allergic skin reaction

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)	
LC50 fish 1	597 mg/l (Species: Danio rerio)
EC50 Daphnia 1	81 mg/l
ErC50 (algae)	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
NOEC chronic fish	344 mg/l
NOEC chronic crustacea	35 mg/l
NOEC chronic algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime (22984-54-9)	
EC50 Daphnia 1	120 mg/l (Exposure time: 48h - Species: Daphnia magna)
Dibutyltin dilaurate (77-58-7)	
EC50 Daphnia 1	< 463 µg/l (Exposure time: 48 h - Species: Daphnia magna)
Zinc oxide (1314-13-2)	
LC50 fish 1	780 µg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0,122 mg/l
NOEC chronic fish	0,026 mg/l (Species: Jordanella floridae)

12.2. Persistence and degradability

CV7-1142-1	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

CV7-1142-1	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - waste materials : This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Zinc oxide, Dibutyltin dilaurate)), 9, III, (E)

CV7-1142-1


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

Class (ADR) : 9

Danger labels (ADR) : 9



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment :



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number : 90

(Kemler No.)

Classification code (ADR) : M6

Orange plates :



Special provisions (ADR) : 274, 335, 601

Transport category (ADR) : 3

Tunnel restriction code (ADR) : E

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

EAC code : •3Z

14.6.2. Transport by sea

EmS-No. (1) : F-A

MFAG-No : 171

EmS-No. (2) : S-F

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

CV7-1142-1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
2	Hazards identification	Removed DSD/DPD information.	16/06/2016
3	Composition/information on ingredients	Removed not classified components. Removed DSD/DPD information.	16/06/2016
15.1	EU-Regulations	Modified.	16/06/2016

Revision date : 16/06/2016

Data sources : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Sens. 1	Sensitisation — Skin, Category 1
Skin Sens. 1B	Sensitisation — Skin, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Nusil EU GHS SDS

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Nusil Technology, it is the user's obligation to determine the conditions of safe use of the product.



Polymer Systems Technology Limited

Silicone Sales & Services UK - Ireland - Benelux

© 2020 - **Polymer Systems Technology Limited™**

Unit 2. Network 4. Cressex Business Park,
Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: <https://www.silicone-polymers.com>

email: sales@silicone-polymers.co.uk

