

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date:  
07/11/2016

Date of issue:  
11/11/2013

Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product Name : R-2560 Part A  
Synonyms : RTV Silicone Elastomer (Red)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only.  
Use of the substance/mixture : For potting, sealing and bonding applications that undergo high temperatures.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC  
1050 Cindy Lane  
Carpinteria, California 93013  
USA  
(805) 684-8780  
[ehs@nusil.com](mailto:ehs@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request

### 2.3. Other Hazards

Unknown Acute Toxicity : 50 - 60% of the mixture consists of ingredients of unknown acute toxicity.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iron oxides	(CAS No) 1332-37-2 (EC no) 215-570-8	20 - 30	Not classified
Silica, amorphous, diatomaceous earth*	(CAS No) 68855-54-9 (EC no) 272-489-0	10 - 20	Carc. 1A, H350 STOT RE 2, H373
Silicic acid, ethyl ester	(CAS No) 11099-06-2 (EC no) 234-324-0	< 3	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
Ethyl silicate	(CAS No) 78-10-4 (EC no) 201-083-8 (EC index no) 014-005-00-0	< 1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335

\*Silica, amorphous, diatomaceous earth poses danger of serious damage to health by prolonged exposure through inhalation. In the case the respirable fraction in mixtures and substances is below 1%, no classification is required. Since this product is in a liquid form, none of these components are able to become airborne and cannot be inhaled. Thus, the hazard associated with inhalation of this ingredient is not applicable to this product.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause skin irritation.
- Symptoms/injuries after eye contact : May cause eye irritation.
- Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.
- Chronic symptoms : None expected under normal conditions of use.

### 4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Refer to Section 9 for flammability properties.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapour, mist, spray).

#### 6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible products : Strong acids. Strong bases. Strong oxidisers.

### 7.3. Specific end use(s)

For potting, sealing and bonding applications that undergo high temperatures.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Iron oxides (1332-37-2)</b>		
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	5,0 mg/m <sup>3</sup> 6,0 mg/m <sup>3</sup> (containing <2% free Crystalline silicon dioxide in respirable fraction-dust, inhalable fraction)
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (dust)
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup> (total aerosol)
<b>Silica, amorphous, diatomaceous earth (68855-54-9)</b>		
Austria	MAK (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (respirable fraction)
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	2,4 mg/m <sup>3</sup> (respirable dust) 6 mg/m <sup>3</sup> (total dust)
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction)
Switzerland	VME (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (respirable dust)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	1,2 mg/m <sup>3</sup> (respirable dust)
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	3,6 mg/m <sup>3</sup> (calculated-respirable dust)
Poland	NDS (mg/m <sup>3</sup> )	2,0 mg/m <sup>3</sup> (inhalable fraction) 1,0 mg/m <sup>3</sup> (respirable fraction)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (inhalable fraction)
<b>Ethyl silicate (78-10-4)</b>		
Austria	MAK (mg/m <sup>3</sup> )	170 mg/m <sup>3</sup>
Austria	MAK (ppm)	20 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	340 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	40 ppm
Belgium	Limit value (mg/m <sup>3</sup> )	86 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	10 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
France	VME (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
France	VME (ppm)	10 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	1,4 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	170 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	20 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	255 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	30 ppm
USA ACGIH	ACGIH TWA (ppm)	10 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	87 mg/m <sup>3</sup>

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Ethyl silicate (78-10-4)</b>		
Spain	VLA-ED (ppm)	10 ppm
Switzerland	VLE (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Switzerland	VLE (ppm)	10 ppm
Switzerland	VME (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Switzerland	VME (ppm)	10 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	86 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	10 ppm
Finland	HTP-arvo (15 min)	170 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	20 ppm
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	10 ppm
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	255 mg/m <sup>3</sup> (calculated)
Ireland	OEL (15 min ref) (ppm)	30 ppm (calculated)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	10 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	85 mg/m <sup>3</sup>
Norway	Grenseverdier (Korttidsverdi) (ppm)	10 ppm
Poland	NDS (mg/m <sup>3</sup> )	80 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Slovenia	OEL TWA (mg/m <sup>3</sup> )	170 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	20 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	170 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	20 ppm
Portugal	OEL TWA (ppm)	10 ppm

### 8.2. Exposure controls

- Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.
- Personal protective equipment : Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
- 
- Materials for protective clothing : Chemically resistant materials and fabrics.
- Hand protection : Wear chemically resistant protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.
- Environmental exposure controls : Do not allow the product to be released into the environment.
- Consumer exposure controls : Do not eat, drink or smoke during use.

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red
Odour	: Mild Alcohol
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 275 °C (> 527 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: 1,42 (water = 1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 31000 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidisers.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Nitrogen oxides. Metal oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Silica, amorphous, diatomaceous earth (68855-54-9)</b>	
LD50 oral rat	> 2000 mg/kg

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Silicic acid, ethyl ester (11099-06-2)</b>	
ATE CLP (dust,mist)	1,500 mg/l/4h
<b>Ethyl silicate (78-10-4)</b>	
LD50 oral rat	6270 mg/kg
LD50 dermal rabbit	5878 mg/kg
ATE CLP (dust,mist)	1,500 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified.
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not classified.

<b>Ethyl silicate (78-10-4)</b>	
LC50 fish 1	> 245 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])

### 12.2. Persistence and degradability

<b>R-2560 Part A</b>	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

<b>R-2560 Part A</b>	
Bioaccumulative potential	Not established.

<b>Silica, amorphous, diatomaceous earth (68855-54-9)</b>	
BCF fish 1	(no known bioaccumulation)

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - waste materials : Avoid release to the environment.

# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### 14.6.1. Overland transport

No additional information available

##### 14.6.2. Transport by sea

No additional information available

##### 14.6.3. Air transport

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
2	Hazards identification	Removed DSD/DPD information.	07/11/2016
3	Composition/information on ingredients	Updated ingredient concentrations. Removed not classified components and components below cutoffs. Removed DSD/DPD information.	07/11/2016
8.1	Control parameters	Added	07/11/2016
8.2	Exposure controls	Modified	07/11/2016
10.6	Hazardous decomposition products	Modified	07/11/2016
11.1	Information on toxicological effects	Added	07/11/2016



# R-2560 Part A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12	Ecological information	Added	07/11/2016
15.1.1	EU-Regulations	Modified	07/11/2016

Revision date : 07/11/2016

Data sources : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
EUH210	Safety data sheet available on request

Nusil EU GHS SDS

*We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Nusil Technology, it is the user's obligation to determine the conditions of safe use of the product.*

# R-2560 Part B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date:  
07/11/2016

Date of issue:  
11/11/2013

Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance  
Substance name : R-2560 Part B  
CAS No : 77-58-7  
Synonyms : Organotin

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : For professional use only.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC  
1050 Cindy Lane  
Carpinteria, California 93013  
USA  
(805) 684-8780  
[ehs@nusil.com](mailto:ehs@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and  
number : Maritime)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1C	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Muta. 2	H341
Repr. 1B	H360
STOT SE 1	H370
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage

# R-2560 Part B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<p>H317 - May cause an allergic skin reaction H341 - Suspected of causing genetic defects H360 - Characteristic syndrome of oropharyngeal malformations H370 - Causes damage to organs (thymus) H372 - Causes damage to organs (thymus) through prolonged or repeated exposure H410 - Very toxic to aquatic life with long lasting effects</p> <p>P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust, fume, mist, spray, vapours P264 - Wash hands, forearms, and exposed areas thoroughly after handling P270 - Do not eat, drink or smoke when using this product P272 - Contaminated work clothing should not be allowed out of the workplace P273 - Avoid release to the environment P280 - Wear eye protection, protective clothing, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P302+P352 - IF ON SKIN: Wash with plenty of water P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P311 - If exposed or concerned: Call a POISON CENTER/doctor P310 - Immediately call a POISON CENTER or doctor P314 - Get medical advice/attention if you feel unwell P321 - Specific treatment (see Section 4) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P391 - Collect spillage P405 - Store locked up P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations</p>
--------------------------------	---

### 2.3. Other Hazards

Other hazards not contributing to the classification : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

# R-2560 Part B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dibutyltin dilaurate	(CAS No) 77-58-7 (EC no) 201-039-8	100	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Immediately flush skin with plenty of water for at least 60 minutes. Remove contaminated clothing. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Seek medical attention immediately. Rinse mouth. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes damage to organs (thymus). Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes damage to organs (thymus) through prolonged or repeated exposure. May damage fertility. May damage the unborn child. Suspected of causing genetic defects.
- Symptoms/injuries after inhalation : Inhalation may cause immediate severe irritation progressing quickly to chemical burns.
- Symptoms/injuries after skin contact : Causes severe skin burns. May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : Causes serious eye damage.
- Symptoms/injuries after ingestion : May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Causes damage to thymus.
- Chronic symptoms : Causes damage to organs (thymus) through prolonged or repeated exposure. May damage fertility. May damage the unborn child. Suspected of causing genetic defects.

### 4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

## R-2560 Part B

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : Do not use a heavy water stream. A heavy water stream may spread burning liquid. Application of water stream to hot product may cause frothing and increase fire intensity.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but will burn at high temperatures.  
Explosion hazard : Product is not explosive.  
Reactivity : May react with strong oxidizers, increasing risk of fire or explosion.

### 5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.  
Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. Use water spray or fog for cooling exposed containers. Prevent firefighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.  
Other information : Refer to Section 9 for flammability properties.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not get in eyes, on skin, or on clothing. Do NOT breathe vapour, mist, spray.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protection equipment (PPE).  
Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Evacuate unnecessary personnel. Ventilate area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Contact competent authorities after a spill.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : May be corrosive to metals.  
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.

## R-2560 Part B

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Storage conditions : Store in original container or corrosive resistant and/or lined container. Store in a dry, cool and well-ventilated place. Keep container tightly closed.
- Incompatible products : Strong acids, strong bases, strong oxidizers.
- 7.3. Specific end use(s)**  
No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

- Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment : Avoid all unnecessary exposure. Gloves. Safety glasses. Protective clothing. Face shield. Insufficient ventilation: wear respiratory protection.



- Materials for protective clothing : Corrosionproof clothing.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses. A full face shield is recommended.
- Skin and body protection : Wear suitable protective clothing. Wash contaminated clothing before reuse.
- Respiratory protection : Use approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.
- Environmental exposure controls : Do not allow the product to be released into the environment.
- Consumer exposure controls : Do not eat, drink or smoke during use.
- Other information : When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : Translucent Yellow
- Odour : Slight
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : > 204 °C (> 400 °F)
- Flash point : 235 °C (455 °F)
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapour pressure : No data available
- Relative vapour density at 20 °C : No data available
- Relative Density : 1,05 (Water = 1)

## R-2560 Part B

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content : < 1 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May react with strong oxidizers, increasing risk of fire or explosion.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

### 10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Oxides of tin. Irritating fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Dibutyltin dilaurate (77-58-7)	
LD50 oral	175 mg/kg
LD50 dermal rat	> 2 g/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
Reproductive toxicity	: Characteristic syndrome of oropharyngeal malformations.
Specific target organ toxicity (single exposure)	: Causes damage to organs (thymus).
Specific target organ toxicity (repeated exposure)	: Causes damage to organs (thymus) through prolonged or repeated exposure.
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Dibutyltin dilaurate (77-58-7)	
EC50 Daphnia 1	0,463 mg/l (Daphnia magna)

## R-2560 Part B

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.2. Persistence and degradability

##### R-2560 Part B (77-58-7)

Persistence and degradability : Not established.

##### Dibutyltin dilaurate (77-58-7)

Persistence and degradability : Not readily biodegradable.

#### 12.3. Bioaccumulative potential

##### R-2560 Part B (77-58-7)

Bioaccumulative potential : Not established.

##### Dibutyltin dilaurate (77-58-7)

Log Pow : 4,44

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Sewage disposal recommendations : This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

\* The transport classification does not apply to packages smaller than 0.5L (16.9 ounces).

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S. (Dibutyltin dilaurate)

#### 14.3. Transport hazard class(es)

Class (ADR) : 8

Danger labels (ADR) : 8



#### 14.4. Packing group

Packing group (ADR) : III

#### 14.5. Environmental hazards

Dangerous for the environment



Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 80



# R-2560 Part B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification code (ADR) : C9  
Special provisions (ADR) : 274  
Transport category (ADR) : 3  
Tunnel restriction code (ADR) : E  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
EAC code : 2X  
APP code : B

### 14.6.2. Transport by sea

EmS-No. (1) : F-A  
MFAG-No : 154  
EmS-No. (2) : S-B

### 14.6.3. Air transport

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions  
R-2560 Part B is not on the REACH Candidate List  
Contains no substance on the REACH candidate list  
R-2560 Part B is not on the REACH Annex XIV List  
Contains no REACH Annex XIV substances  
VOC content : < 1 %

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
1.3	Details of the supplier of the safety data sheet	Modified.	07/11/2016
2	Hazards identification	Removed DSD/DPD information.	07/11/2016
3	Composition/information on ingredients	Removed DSD/DPD information.	07/11/2016
14	Transport information	Modified.	07/11/2016
15.1	EU-Regulations	Modified.	07/11/2016

Revision date : 07/11/2016

Data sources : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

# R-2560 Part B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Nusil EU GHS SDS

*We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Nusil Technology, it is the user's obligation to determine the conditions of safe use of the product.*



# **Polymer Systems** *Technology Limited*

## Silicone Sales & Services UK - Ireland - Benelux

© 2020 - **Polymer Systems Technology Limited™**

Unit 2. Network 4. Cressex Business Park,  
Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: <https://www.silicone-polymers.com>

email: [sales@silicone-polymers.co.uk](mailto:sales@silicone-polymers.co.uk)

