

DM2X 200 MANUAL 200 ML CARTRIDGE DISPENSER



FEATURES

- Universal conversion kits with interchangeable cartridge trays and plungers
- High thrust ratio
- Ergonomically designed

BENEFITS

DM2X 400

- Quick ratio exchange and use with DM₂X and DP₂X tools
- Easy to dispense high viscosity products
- Maximum comfort and fatigue-free operation

APPLICATIONS Bonding Sealing Sealing

Solid

Surface

PRODUCT BY RANGE

DM2X 200

Polymer Systems Technology Limited Unit 2, Network 4, Lincoln Road, Cressex Business Park, High Wycombe, Buckinghamshire, HP12 3RF <u>www.silicone-polymers.com</u> Tel: +44 (0) 1494 446610 Email: sales@silicone-polymers.co.uk

Encapsulation




THE DM2X 200 IS A MANUAL DISPENSER FOR ACCURATE METERING WITH PRECISE AND CONSISTENT RESULTS.

SPECIFICATIONS

- Weight: 1.60kg / 3.53 lbs
- Length: 324 mm / 12.7 in
- Maximum Thrust: 5.2 kN
- Thrust ratio: 22:1
- Tool material: cast aluminum
- Cartridge capacity: 200 mL
- Cartridge ratio: 1:1 / 2:1 / 4:1 / 10:1


DIMENSIONS



Part number						Packaging
DM2X 200-01-52-01	165803	\checkmark	\checkmark			
DM2X 200-04-52-01	165804			\checkmark		Packed individually 1 unit per master carton
DM2X 200-10-52-01	165805				\checkmark	



DM2X 400 MANUAL 400 ML CARTRIDGE DISPENSER



FEATURES

- Universal conversion kits with interchangeable cartridge trays and plungers
- High thrust ratio
- Ergonomically designed

BENEFITS

- Quick ratio exchange and use with DM₂X and DP₂X tools
- Easy to dispense high viscosity products
- Maximum comfort and fatigue-free operation







Polymer Systems Technology Limited Unit 2, Network 4, Lincoln Road, Cressex Business Park, High Wycombe, Buckinghamshire, HP12 3RF <u>www.silicone-polymers.com</u> Tel: +44 (0) 1494 446610 Email: sales@silicone-polymers.co.uk




THE DM2X 400 IS A MANUAL DISPENSER FOR ACCURATE METERING WITH PRECISE AND CONSISTENT RESULTS.

SPECIFICATIONS

- Weight: 1.93 kg / 4.24 lbs
- Length: 366 mm / 14.4 in
- Maximum thrust: 6.0 kN
- Thrust ratio: 35:1
- Tool material: cast aluminum
- Car tridge capacity: 400 mL
- Cartridge ratio: 1:1/2:1/4:1/10:1

DIMENSIONS



Part number		Ratio 1:1		4:1	10:1	Packaging
DM2X400-01-60-01	165807	\checkmark	\checkmark			
DM2X400-04-60-01	165808			\checkmark		Packed individually 1 unit per master carton
DM2X400-10-60-01	165809				\checkmark	

Polymer Systems Technology Limited Unit 2, Network 4, Lincoln Road, Cressex Business Park, High Wycombe, Buckinghamshire, HP12 3RF <u>www.silicone-polymers.com</u> Tel: +44 (0) 1494 446610 Email: sales@silicone-polymers.co.uk