

DP2X 200 PNEUMATIC 200 ML CARTRIDGE DISPENSER

Indicator Rod

To quickly see how much material is remaining in the cartridge

Mounting Hook

To suspend dispenser

Cartridge Release Button

Conveniently located to provide easiest cartridge ejection

Trigger


Ergonomic trigger for more comfort

Plunger Retract Button

Easily accessible with one hand

Regulator

Adjust output force



FEATURES

- Universal conversion kits with interchangeable cartridge trays and plungers
- Quick exhaust
- Integrated anti-drip feature
- Ergonomically designed

BENEFITS

- Quick ratio exchange and use with DM2X and DP2X tools
- High precision and dispensing accuracy
- No oozing or dripping
- Fatigue free operation for longer periods of time

APPLICATIONS



Bonding



Gap Filling



Sealing



Shimming




Solid Surface



Encapsulation

PRODUCT BY RANGE



DP2X 200

DP2X 400

Polymer Systems Technology Limited

Unit 2, Network 4, Lincoln Road,
Cressex Business Park, High Wycombe,
Buckinghamshire, HP12 3RF

www.silicone-polymers.com

Tel: +44 (0) 1494 446610


Email: sales@silicone-polymers.co.uk

THE DP2X IS A PNEUMATIC DISPENSER FOR ACHIEVING ACCURATE AND REPEATABLE RESULTS WHILE WORKING WITH MAXIMUM COMFORT.

SPECIFICATIONS

- Weight 1.76 kg / 3.87 lbs
- Length: 406 mm / 15.9 in
- Maximum Thrust: 2.5 kN
- Tool material: cast aluminium and reinforced nylon
- Cartridge capacity: 200 ml
- Cartridge ratio: 1:1 / 2:1 / 4:1 / 10:1
- Air inlet: 1/4 in NPT
- Max operating pressure: 6.8 bar / 100 psi

DIMENSIONS



Part number	Article number	Ratio				Packaging
		1:1	2:1	4:1	10:1	
DP2X 200-01-25-01	165860	✓	✓			Packed individually 1 unit per master carton
DP2X 200-04-25-01	165861			✓		
DP2X 200-10-25-01	165862				✓	

DP2X 400 PNEUMATIC 400 ML CARTRIDGE DISPENSER

Indicator Rod

To quickly see how much material is remaining in the cartridge

Mounting Hook

To suspend dispenser

Cartridge Release Button

Conveniently located to provide easiest cartridge ejection

Trigger


Ergonomic trigger for more comfort

Plunger Retract Button

Easily accessible with one hand

Regulator

Adjust output force



FEATURES

- Universal conversion kits with interchangeable cartridge trays and plungers
- Quick exhaust
- Integrated anti-drip feature
- Ergonomically designed

BENEFITS

- Quick ratio exchange and use with DM2X and DP2X tools
- High precision and dispensing accuracy
- No oozing or dripping
- Fatigue free operation for longer periods of time

APPLICATIONS



Bonding



Gap Filling



Sealing



Shimming



Solid Surface



Encapsulation

PRODUCT BY RANGE



DP2X 200

DP2X 400

Polymer Systems Technology Limited

Unit 2, Network 4, Lincoln Road,
Cressex Business Park, High Wycombe,
Buckinghamshire, HP12 3RF

www.silicone-polymers.com

Tel: +44 (0) 1494 446610


Email: sales@silicone-polymers.co.uk

THE DP2X IS A PNEUMATIC DISPENSER FOR ACHIEVING ACCURATE AND REPEATABLE RESULTS WHILE WORKING WITH MAXIMUM COMFORT.

SPECIFICATIONS

- Weight 2.66 kg / 5.87 lbs
- Length: 486 mm / 19.1 in
- Maximum Thrust: 5.0 kN
- Tool material: cast aluminium and reinforced nylon
- Cartridge capacity: 400 ml
- Cartridge ratio: 1:1 / 2:1 / 4:1 / 10:1
- Air inlet: 1/4 in NPT
- Max operating pressure: 6.8 bar/100 psi

DIMENSIONS



Part number	Article number	Ratio				Packaging
		1:1	2:1	4:1	10:1	
DP2X 400-01-50-01	165864	✓	✓			Packed individually 1 unit per master carton
DP2X 400-04-50-01	165865			✓		
DP2X 400-10-50-01	165866				✓	